Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - United Kingdom (UK)

SAFETY DATA SHEET

Bower Cascade Geltronic

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

Identification of the substance or mixture

Product name : Bower Cascade Geltronic

Code : FPBOW008 **Product type** : Solid.

Use of the substance/mixture : Air Freshener. Contained air freshener used in commercial air freshener systems

Company/undertaking identification

Manufacturer : A E Adams (Henfield) Ltd

Unit 4, Mackley Industrial Estate

Small Dole West Sussex BN5 9XR UK

e-mail address of person responsible for this SDS

: john@aeadams.co.uk (John Killick-QC Manager)

Emergency telephone number : +44 (0) 1903 767621 (9am-5pm)

(with hours of operation)

HAZARDS IDENTIFICATION

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Xi; R38

R43 N; R51/53

Human health hazards : Irritating to skin. May cause sensitisation by skin contact.

Environmental hazards Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

See section 11 for more detailed information on health effects and symptoms.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/preparation : Mixture

Ingredient name	CAS number	%	Number	Classification	
Dipropylene glycol monomethyl ether	34590-94-8	30 - 50	252-104-2	Not classified. [2	2]
Sodium Stearate	822-16-2	5 - 15	212-490-5	Xi; R36/38 [1]
2,6-Dimethyloct-7-en-2-ol Dimyrcetol (component 2)	18479-58-8	5 - 15	242-362-4	Xi; R36/38 [1]
Linalool	78-70-6	1 - 5	201-134-4	Xi; R38 [1]
Acetyl cedrene	32388-55-9	1 - 5	251-020-3	N; R50/53 [1]
(R)-p-mentha-1,8-diene	5989-27-5	1 - 5	227-813-5	R10 [1]
				Xi; R38	
				R43	
				N; R50/53	
Allyl amyl glycolate	67634-00-8	1 - 5	266-803-5	Xn; R22 [1]
				Xi; R38	
6-Acetyl-1,1,2,4,4,7-hexamethyltetraline	1506-02-1	0 - 1	216-133-4	Xn; R22 [1]
				N; R50/53	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	54464-57-2	0 - 1	259-174-3	N; R51/53 [1]
beta-Naphthyl ethyl ether	93-18-5	0 - 1	202-226-7	Xi; R38 [1	1
Total Hapmany, Gardy, Gardy	00.00			N; R51/53	
Geranyl acetate	105-87-3	0 - 1	203-341-5	N; R51/53 [1]
5-(2,2,3-Trimethyl-3-cyclopentenyl)-3-methylpentan- 2-ol	65113-99-7	0 - 1	265-453-0	N; R51/53 [1	
alpha-Methyl-3,4-methylene-dioxyhydrocinnamic aldehyde	1205-17-0	0 - 1	214-881-6	N; R51/53 [1]

Date of issue/Date of revision : 03/02/2010.

Bower Cascade Geltronic						
3. COMPOSITION/INFORMATION ON INGREDIENTS						
dl-Citronellol	106-22-9	0 - 1	203-375-0	Xi; R38 R43 N; R51/53	[1]	
See section 16 for the full text of the R-phrases declared above						

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] PBT-substance
- [4] vPvB-substance

Occupational exposure limits, if available, are listed in section 8.

4. FIRST AID MEASURES

First-aid measures

Inhalation

: Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Ingestion

: Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Notes to physician

: No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See section 11 for more detailed information on health effects and symptoms.

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

: None known.

Special exposure hazards

: No specific fire or explosion hazard.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. This material is toxic to aquatic organisms. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway,

sewer or drain.

5. FIRE-FIGHTING MEASURES

Hazardous thermal decomposition products

: Decomposition products may include the following materials: carbon dioxide

carbon monoxide metal oxide/oxides

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods for cleaning up

Small spill

: Avoid creating dusty conditions and prevent wind dispersal. Place spilt material in an appropriate container for disposal.

Large spill

: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. HANDLING AND STORAGE

Handling

Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. Refer to special instructions/safety data sheet. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Packaging materials

Recommended : Use original container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredient name

Dipropylene glycol monomethyl ether

Occupational exposure limits

EH40/2005 WELs (United Kingdom (UK), 8/2007). Absorbed through skin.

TWA: 308 mg/m³ 8 hour(s). TWA: 50 ppm 8 hour(s).

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

Date of issue/Date of revision : 03/02/2010.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls

Occupational exposure controls

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Respiratory protection

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eye protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or

Skin protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

PHYSICAL AND CHEMICAL PROPERTIES

General information

Appearance

Physical state : Solid.

Colour : Pale Blue [Light] : Characteristic [Slight] Odour

10. STABILITY AND REACTIVITY

Chemical stability

The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

: Avoid release to the environment. Refer to special instructions/safety data sheet.

Materials to avoid

: No specific data.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

TOXICOLOGICAL INFORMATION

Toxicokinetics

Absorption : Not available.

Distribution Contains material which causes damage to the following organs: upper respiratory

tract, central nervous system (CNS), eye, lens or cornea.

Metabolism Not available. Elimination Not available.

Potential acute health effects

Inhalation : No known significant effects or critical hazards.

Ingestion : Irritating to mouth, throat and stomach.

Date of issue/Date of revision : 03/02/2010.

4/8

11. TOXICOLOGICAL INFORMATION

Skin contact: Irritating to skin. May cause sensitisation by skin contact.

Eye contact: No known significant effects or critical hazards.

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Dipropylene glycol monomethyl ether	LD50 Dermal	Rabbit	10 mL/kg	-
	LD50 Oral	Rat	5.5 mL/kg	-
	LD50 Oral	Rat	5400 uL/kg	-
2,6-Dimethyloct-7-en-2-ol Dimyrcetol (component 2)	LD50 Dermal	Rabbit	>5 g/kg	-
	LD50 Oral	Rat	>3600 mg/kg	-
Linalool	LD50 Dermal	Rat	5610 mg/kg	-
	LD50 Dermal	Rabbit	5610 mg/kg	-
	LD50 Intraperitoneal	Rat	307 mg/kg	-
	LD50 Oral	Rat	>2.79 g/kg	-
	LD50 Oral	Rat	2790 mg/kg	-
(R)-p-mentha-1,8-diene	LD50 Dermal	Rabbit	>5 g/kg	-
	LD50	Rat	3600 mg/kg	-
	Intraperitoneal		0 0	
	LD50	Rat	110 mg/kg	-
	Intravenous			
	LD50 Oral	Rat	4400 mg/kg	-
	LDLo	Rat	30200 mg/kg	-
	Subcutaneous			
beta-Naphthyl ethyl ether	LD50 Dermal	Rabbit	>5 g/kg	-
	LD50 Oral	Rat	3110 mg/kg	-
Geranyl acetate	LD50 Oral	Rat	6330 mg/kg	-
dl-Citronellol	LD50 Dermal	Rabbit	2650 mg/kg	-
	LD50 Oral	Rat	5 g/kg	-
	LD50 Oral	Rat	3450 mg/kg	-
	TDLo Oral	Rat	5 g/kg	-
0 1 1 10				

Conclusion/Summary: Not available.

Potential chronic health effects

Chronic toxicity

Conclusion/Summary: Not available.

Irritation/Corrosion

Conclusion/Summary: Not available.

Sensitiser

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Mutagenicity

Conclusion/Summary: Not available.

Teratogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

Chronic effects : Once sensitized, a severe allergic reaction may occur when subsequently exposed to

very low levels.

Carcinogenicity: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation: No specific data.Ingestion: No specific data.

Bower Cascade Geltronic

TOXICOLOGICAL INFORMATION

Skin Adverse symptoms may include the following:

> irritation redness

: No specific data. **Eyes**

12. ECOLOGICAL INFORMATION

Ecotoxicity

: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Aquatic ecotoxicity

Product/ingredient name **Test** Result **Species Exposure** (R)-p-mentha-1,8-diene Acute EC50 Daphnia - Water 48 hours 69600 ug/L Fresh flea - Daphnia

water pulex - Neonate -

<24 hours

Acute LC50 Fish - Rainbow 35000 ug/L Fresh trout, donaldson

water trout -

Oncorhynchus mykiss

4 days

96 hours

Acute LC50 702

Fish - Fathead

to 796 ug/L Fresh minnow water **Pimephales**

promelas - 32 to 34 days - 21.8 mm - 0.177 g

Conclusion/Summary

Persistence/degradability

Conclusion/Summary : Not available.

Other adverse effects : No known significant effects or critical hazards.

: Not available.

PBT : Not applicable. **vPvB** : Not applicable.

DISPOSAL CONSIDERATIONS

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil,

waterways, drains and sewers.

Hazardous waste : The classification of the product may meet the criteria for a hazardous waste.

TRANSPORT INFORMATION

International transport regulations

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADR/RID Class	Not available.	Not available.	Not available.	-		-
ADN/ADNR Class	Not available.	Not available.	Not available.	-		-
IMDG Class	Not available.	Not available.	Not available.	-		-
IATA Class	Not available.	Not available.	Not available.	-		-

PG*: Packing group

15. REGULATORY INFORMATION

Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Hazard symbol or symbols



Irritant, Dangerous for the environment

Risk phrases : R38- Irritating to skin.

R43- May cause sensitisation by skin contact.

R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Safety phrases : S24- Avoid contact with skin.

S37- Wear suitable gloves.

S46- If swallowed, seek medical advice immediately and show this container or label. S61- Avoid release to the environment. Refer to special instructions/safety data sheet.

Contains : (R)-p-mentha-1,8-diene
Product use : Professional applications.

Europe inventory : All components are listed or exempted.

Black List Chemicals : Not listed
Priority List Chemicals : Not listed
Integrated pollution : Not listed

prevention and control list (IPPC) - Air

Integrated pollution prevention and control list

(IPPC) - Water

: Not listed

Prior Informed Consent.
List of chemicals subject to
the international PIC
procedure (Part I, II, III)

International regulations

Chemical Weapons Convention: Not listed

List Schedule I Chemicals

Chemical Weapons Convention: Not listed

List Schedule II Chemicals

Chemical Weapons Convention: Not listed

List Schedule III Chemicals

16. OTHER INFORMATION

Full text of R-phrases referred to in sections 2 and 3 - United Kingdom (UK)

: R10- Flammable.

R22- Harmful if swallowed.

R38- Irritating to skin.

R36/38- Irritating to eyes and skin.

R43- May cause sensitisation by skin contact.

R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Full text of classifications referred to in sections 2 and 3 - United Kingdom (UK)

: Xn - Harmful Xi - Irritant

N - Dangerous for the environment

Restrictions on use

Date of issue/Date of revision : 03/02/2010.

7/8

Bower Cascade Geltronic

16. OTHER INFORMATION

Sector of Use Chemical Product Process Category Article Category

Category

None identified.

History

Date of printing : 03/02/2010.

Date of issue/ Date of : 03/02/2010.

revision

Date of previous issue : No previous validation.

Version : 1

Prepared by : Not available.

▼ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Annex